



Fermilab

Date _____

Medical Surveillance Request for Respiratory Protection Usage

Name _____

I.D. _____

___ Lab Employee

Division/Section _____

___ Contractor/Consultant

Employer _____

___ User/Other

Institution _____

Respirator Type(s)* (Please Check):

___ Self-Contained Breathing Apparatus (SCBA)

___ BioMarine BioPak 240 (BMBP)

___ Air-line Respirator Loose-Fitting (ALRLF)

___ Air-line Respirator Tight-Fitting (ALRTF)

___ Powered Air-Purifying Respirator Loose-Fitting (PAPRLF)

___ Powered Air-Purifying Respirator Tight-Fitting (PAPRTF)

___ Negative Pressure Air-Purifying Respirator (APR)

Supplemental Respirator Information:

Respirator Use Duration _____ hours

Respirator Use Frequency (Circle one) day week month year

Description of work being performed _____

Additional Personal Protective Equipment Required _____

Temperature Extremes _____ Humidity Extremes _____

Supervisor or ES&H Representative

Date

*The physician or other licensed health care provider shall be shown examples of the various types of respirator protection by the ES&H section.

DISTRIBUTION: Medical

Rev. 12/2008

Fermilab ES&H Manual

5103 - 24
Rev. 12/2008

Respirator Log Sheet

Year _____

Date	Issued To	D/S	Quantity	Description of Use	Respirator Users	Location Used	Appendix D Given