

REQUEST For BYPASS or REMOVAL of FIRUS MESSAGES
(One form for each primary message bypassed or removed)

INSTRUCTIONS: Electronically complete and send to: [FIRUS-REQS@fnal.gov]
 or: Print, complete, and send to the Mail Station listed on the table below.

If electronic (Preferred)

- Click on the "envelope" icon on the toolbar
- In the Subject line add: "FIRUS Bypass, Activate or Remove", add: Address, and SEND.

Requester: ID: Lab Ext. Date:

Email: Experiment Name or Number:

Requestor's D/S/C: Group:

What do you want done? Remove: Bypass: Estimated Re-enablement date:

EXPLANATION SECTION:

In plain terms describe the nature of the message you want removed or bypassed with Trunk, Node, Slot, Channel if known and reason(s) for request. This request may require a Project/Task.

Note 1: If request is for bypassing fire related message(s):

- Contact Fire Tech's at x2924 for possible disablement logging (FESHM 6030).

Note 2: If request is for removing a message(s):

- If the sensor is connected to or monitors a hazardous atmosphere or work process (flammable gas, ODH, piping of flammable liquids, etc.) approval of the appropriate safety expert(s) and the ESH&Q-FPE is required prior to removal.
- The D/S/C is responsible for removal and disposal of all cable and components.

Does this sensor monitor or include hazardous atmospheres or work processes?

Select appropriate message type from left hand column:

Fire related systems	FSM Techs	MS-311	x2924
Security systems and sensors	Security	MS-326	x6615
Utility, Infrastructure related	FESS Operations	MS-311	x8910
Experimental – Fire related	FSM Techs	MS-311	x2924
Experimental and Select Sensors	AD Controls Hardware Group	MS-360	x2894

For questions; Call the appropriate extension listed above.

INFORMATION BELOW IS FOR FIRUS ADMINISTRATIVE USE

Trunk: Node: Slot: Channel(s): FESS WO#

Completed (Removed/Bypassed) Date: Re-enabled Date:

FIRUS Data Admin ID: Name:

Send completed form to the ESH&Q-FPE at: [priest@fnal.gov] or MS-119.