



Nancy L. Grossman
ES&H Section Office

630.840.3810 (phone)
630.840.3204 (fax)
grossman@fnal.gov

November 23, 2011

Mr. Michael J. Weis
Site Manager
Fermi Site Office
U.S. Department of Energy
P. O. Box 2000
Batavia, Illinois 60510-5011

Dear Mr. Weis:

SUBJECT: Fermilab Environment, Safety and Health Manual (FESHM) 5052.5: SPECIAL TOXIC HAZARDS-Beryllium and Beryllium Alloys Chronic Beryllium Disease Prevention Program (CBDPP)

REFERENCE: Department of Energy 10 Code of Federal Regulations (CFR) Part 850 CBDPP

In accordance with the referenced standard, DOE 10 CFR Part 850.10(c), the employer's CBDPP is required to be sent for review and approval to the appropriate Head of DOE Field Element whenever a significant change or significant addition to the CBDPP is made or a change in contractors occurs. Significant plan changes include;

- Formatted the chapter according to ESHS requirements.
- Defined a Beryllium Activity to an airborne exposure.
- Modified the surface contamination level to match the DOE 10 CFR 850 standard.
- Updated the Beryllium Operations table found in Attachment A.

If you have any questions or comments concerning Fermilab's CBDPP, please contact Dave Baird, of my staff, at extension 3945.

Sincerely,

Nancy L. Grossman, Ph.D.
ES&H Director

cc: D. Baird
G. Bock
B. Chrisman
Y.-K. Kim
S. Henderson
P. Oddone
IHS Committee

ES&H File: FESHM 5052.5