

MAR 04 2010

Dr. Bruce Chrisman
Chief Operating Officer
Fermilab
P.O. Box 500
Batavia, IL 60510

Dear Dr. Chrisman:

SUBJECT: NATIONAL ENVIRONMENTAL POLICY ACT (NEPA) DETERMINATION AT
FERMI NATIONAL ACCELERATOR LABORATORY - "SITE-WIDE
CATEGORICAL EXCLUSION: ROUTINE MAINTENANCE"

Reference: Letter, J. Monhart to G. Brown, dated June 11, 2002, Subject: Same As Above

The Department of Energy (DOE) Fermi Site Office (FSO) reviewed Fermilab's "Site-Wide Categorical Exclusion (CX): Routine Maintenance" that was approved by DOE on June 11, 2002. DOE reviewed the CX as part of a 5-year review to determine whether the site-wide routine maintenance activities and conditions covered by the CX are still applicable to Fermilab's operations. DOE's review determined that the site-wide routine maintenance activities and conditions covered by the CX are still applicable.

No further NEPA review is required for projects and/or activities meeting the conditions specified in the approved CX, which falls under a CX provided in 10 CFR 1021, as amended in 1996. DOE plans to conduct 5-year reviews of the CX to assure the activities and conditions covered by the CX are still applicable to Fermilab's operations. Therefore, the next review will be in 2015. If you have any questions, please contact Rick Hersemann, of my staff, at extension 4122.

Sincerely,

Original Signed by
Mark E. Bollinger

Mark E. Bollinger, Acting
Site Manager

cc: P. Oddone
Y.-K. Kim
R. Walton
N. Grossman
E. Mieland
T. Dykhuis

bc: P. Siebach, TS-STs
V. Prouty, OGG-GL
J. Scott, FSO
R. Hersemann, FSO
M. McHown, OCC-GL

File: