

FESHM 5100: STRUCTURAL SAFETY

Revision History

Author	Description of Change	Revision Date
Mike White	Modified scope to clarify when load-bearing structures subjected to lifting fall under either FESHM 5100: Structural Safety or FESHM 10110: Below-the-Hook Lifting Devices	Sept 2020
Brian Rubik	Initial release Chapter 5100	March 2018

TABLE OF CONTENTS

1.0	INTRODUCTION AND SCOPE.....	3
2.0	DEFINITIONS	3
3.0	RESPONSIBILITIES.....	4
4.0	PROGRAM DESCRIPTION	4
5.0	PROCEDURES	5
5.1	Design.....	5
5.2	Re-use or Modification of Existing Structures.....	6
5.3	Review.....	6
5.4	Construction	6
5.5	Documentation	7
6.0	REFERENCES.....	7

1.0 INTRODUCTION AND SCOPE

There are a wide variety of structures at Fermilab and Fermilab leased spaces, and therefore a variety of potential hazards to people and property if these structures are improperly designed, constructed, modified, or re-used. The best way to mitigate the hazards is through sound engineering design, use of appropriate safety factors, and compliance with applicable codes and standards listed in [FESHM 1070](#). The International Building Code (IBC) and its referenced standards are intended to be a set of requirements that provides an acceptable level of safety including for structural design. Moreover, the IBC is listed as part of the “work smart set” referenced in FRA’s contract with DOE, and design of structures must therefore comply with this code. The purpose of this chapter is to define the requirements with which the design and construction of structures at Fermilab and Fermilab leased spaces must comply.

Load-bearing structures designed for lifting, which remain attached to the load in the final installation configuration, are within the scope of FESHM 5100 Structural Safety. Load-bearing structures designed for lifting, which are detachable from the load and may be re-used, are within the scope of FESHM 10110 Below-the-Hook Lifting Devices.

2.0 DEFINITIONS

The Code – International Building Code (IBC), latest edition at the time of the start of detailed design. Note that an equivalency between the US structural design codes (IBC and referenced standards) and the European structural design codes (the Eurocodes) was developed. The white paper demonstrating this equivalency is shown in the references of this chapter.

Structure – That which is built or constructed and which is most appropriately governed by the IBC and its referenced standards rather than other codes and standards listed in [FESHM 1070](#). In the context of this chapter, this includes any structure or part thereof, the failure of which could reasonably pose a threat of injury to an individual or a non-trivial amount of damage to property, the design of which does not fall under the jurisdiction of another more applicable code or standard.

Qualified Person – A person who, by possession of a recognized degree or certificate of professional standing, or who, by extensive knowledge, training and experience, has successfully demonstrated the ability to solve or resolve problems relating to the subject matter and work.

Authority Having Jurisdiction (AHJ) and Building Official – The Code and other standards refer to the role and responsibility of the AHJ and/or the Building Official. For structures at Fermilab and Fermilab-operated space, the AHJ shall be as described in the Fermilab Worker Safety and Health Program. The primary responsibilities of the AHJ are:

- Selecting and applying appropriate Codes and Standards to new, modified and existing facilities or processes.
- Writing equivalency, variance or exemption requests for DOE Fermilab Site Office (FSO) approval.

The AHJ will be supported by FESS and the MSS Structural Panel depending on the nature of the structure. Work such as inspections, drawing/specification review, etc. may be performed by:

1. For conventional structures (i.e. buildings and appurtenances): FESS
2. For programmatic structures: MSS Structural Panel

Any questions or disputes over jurisdiction shall be resolved by the AHJ.

Engineer of Record (EOR) – The code and other standards refer to the role and responsibility of the EOR. For structures at Fermilab and Fermilab leased spaces, the EOR shall be the qualified person or licensed engineer performing or supervising the design of the structure as required by Section 5.1 of this chapter.

Engineering Note – A document (e.g. analyses, calculations, drawings, specifications) demonstrating that a given building, structure and/or part thereof satisfies the requirements of the Code.

3.0 RESPONSIBILITIES

The Division/Section/Project (D/S/P) Head that controls the area of operation of the structure is responsible for carrying out the requirements of this chapter. The D/S/P head or his/her designee shall:

- Ensure that a qualified person is designing or overseeing design of a structure.
- Arrange for the review of the Engineering Note by a qualified person or committee.
- File the original Engineering Note as required by the [Fermilab Engineering Manual](#) (FEM).

The ESH&Q Section shall:

- Audit the divisions, sections, and centers on their compliance with this chapter.

The MSS Structural Panel shall serve the D/S/P Heads and ESH&Q Section in a consulting capacity on structural matters. This includes providing recommendations regarding the applicability of a standard, in addition to the Code, to a given structure.

4.0 PROGRAM DESCRIPTION

The IBC defines a structure as “that which is built or constructed”. This definition could conceivably apply to nearly any object at Fermilab. However, some additional guidance is given in Section 101.3 *Intent*: “The purpose of this code is to establish the minimum requirements to provide a reasonable level of safety, public health and general welfare through structural strength... and safety to life and property from fire and other hazards attributed to the built environment...”.

The scope of this chapter is therefore any structure the failure of which could reasonably pose a threat of injury to an individual or a non-trivial amount of damage to property, which does not fall under the jurisdiction of another more applicable code or standard. Some degree of engineering judgment must

be exercised in determining whether a structure need comply with the IBC; any questions on this matter should be forwarded to the structural Authority Having Jurisdiction (AHJ) for resolution.

Some structures may be partially governed by multiple codes. An example of this is a membrane cryostat, where the fluid containment portion of the structure is governed by one set of codes and the pressure restraint and supporting structure is governed by structural codes. In such a case where a portion of a structure is not governed by other, more applicable codes, the Codes defined in this chapter shall govern design and construction of that structure. Care must be taken to clearly define the applicability of each code set to all portions of the assembly. Questions on the applicability of structural codes should be forwarded to the structural AHJ for resolution. See [FESHM 5031.7](#) for more information on membrane cryostats.

5.0 PROCEDURES

5.1 Design

- 5.1.1. Design of structures and components thereof shall be performed by a qualified person.
- 5.1.2. The complexity of some structures may require the design to be performed or supervised by a person licensed to practice structural engineering in the state in which the structure will reside (an S.E. license in Illinois, for example). The complexity of the structure shall be determined and documented in the engineering note or other written analysis document. Structures determined to be “non-complex” are permitted to be designed by a qualified person. Structures determined to be “complex” shall be designed by a person licensed to practice structural engineering in the state in which the structure will reside. Examples of attributes of structures that are non-complex are:
 - a) Common materials and joining methods
 - b) Clear load paths
 - c) Structures with a relatively low consequence of failure
 - d) Structures designed to the US set of codes

The requirement for a licensed engineer to design complex structures may be waived by the AHJ and shall be documented as part of the engineering note. Questions regarding whether design of a structure requires a licensed engineer should be forwarded to the MSS Structural Panel for resolution.

- 5.1.3. Design of structures shall comply with the latest edition of the Code at the time of the start of detailed design. This edition shall be the “Code of Record” and shall be indicated on the engineering note or other written analysis document. Design must also comply with any material-specific and other design standards referenced by the Code. Note that the latest edition of these other standards may not be the edition referenced. See Chapter 35 of IBC entitled “Referenced Standards” for a list of referenced design standards in the US. Some notable standards for structural design are:
 - a) ASCE 7 – Minimum Design Loads for Buildings and Other Structures
 - b) AISC 360 – Specification for Structural Steel Buildings

- c) ACI 318 – Building Code Requirements for Structural Concrete
- d) ADM1 – Aluminum Design Manual
- e) AWS D1.1 – Structural Welding Code - Steel

5.1.4. An engineering note or other written analysis document shall be created for all structures based on the graded approach defined in the FEM. The engineering note shall include, at a minimum:

- a) Name or identifier of the structure
- b) Name of the engineer in charge of the design
- c) Edition of the Code that is used for design
- d) Location and intended use of the structure
- e) Design criteria including loading on the structure
- f) Codes, standards, design guides, or other reference documents used
- g) Any calculations, analyses, finite element models with output, etc.
- h) Any construction or fabrication drawings or specifications

5.1.5. Testing, inspection, and contractor submittal (if applicable) requirements shall be identified in the structure drawings, specifications, and/or engineering note. These requirements shall meet or exceed what is required by the Code.

5.2 Re-use or Modification of Existing Structures

5.2.1. If an existing structure is to be used for anything other than its original design intent or modified in any way, then the structure must be analyzed and documented in an engineering note or other written analysis document. This new analysis shall comply with the latest edition of the Code at the time of the start of detailed design and Section 5.1 of this chapter.

5.2.2. Where possible, the new engineering note shall reference any original analysis documentation. If no original documentation for a structure exists, all material properties, geometry, and other design parameters must be verified through testing, measurements, or other reproducible means.

5.3 Review

5.3.1. All engineering notes and other design documentation shall be reviewed based on the graded approach described in the FEM.

5.4 Construction

5.4.1. Construction oversight of a structure shall be the responsibility of the D/S/P Head that controls the area of operation of the structure or their designee, unless otherwise required (i.e. Fermilab policy states that conventional construction shall be overseen by FESS).

5.4.2. The person responsible for oversight of construction shall ensure that construction proceeds in conformance with the drawings, specifications, and/or other design documents. This may include testing, inspection, or other means according to a graded approach as described in the FEM. Structures determined to be complex per 5.1.2 shall also be inspected by the AHJ or their designee for general conformance to the drawings, specifications and the Code.

5.5 Documentation

5.5.1. All documentation for the structure shall be filed as described in the FEM. Documentation shall include, if applicable:

- a) Engineering note
- b) Results of any reviews
- c) Construction or fabrication drawings and/or specifications
- d) Test and inspection reports
- e) Any other pertinent information related to the design or use of the structure

6.0 REFERENCES

1. [Fermilab Engineering Manual](#)
2. *Acceptance of Steel and Aluminum Structures Designed per the Eurocodes at Fermilab.* July 18, 2017.
3. [FESHM 5031.7: Membrane Cryostats](#)